TECHNICAL DATA
OPTIMA ONTOUR

PRELIMINARY EQUIPMENT LIST

	WEIGHT	UNIT	OPTIMA ONTOUR			
ENGINE / MODEL			**T65 FL**	**T65 GE**	**T65 HFL**	**T65 HKM**
Citroën Jumper 2.2 l – BlueHDi 120, Euro 6d-TEMP, 2,179 ccm, 88 kW / 120 hp, with start / stop technology [1]			●	●	●	●
Citroën Jumper 2.2 l – BlueHDi 140, Euro 6d-TEMP, 2,179 ccm, 103 kW / 140 hp, with start / stop technology [1]	*	kg	o	o	o	o
Citroën Jumper 2.2 l – BlueHDi 165, Euro 6d-TEMP, 2,179 ccm, 121 kW / 165 hp, with start / stop technology [1]	*	kg	o	o	o	o
CHASSIS						
Citroën Low-Frame Chassis Light, 3,500 kg			●	●	●	●
CHASSIS						
Number of axles			2	2	2	2
Front wheel drive			●	●	●	●
Wheelbase		mm	4.035	4.035	4.035	3.800
Tyre size			215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP
Turning circle		m	14,43	14,43	14,43	13,89
DIMENSIONS AND WEIGHT						
Overall length		mm	7.029	7.079	7.029	6.999
Overall width		mm	2.330	2.330	2.330	2.330
Overall height		mm	2.845	2.845	2.845	2.845
Interior headroom		mm	2.054	2.054	2.054	2.054
Interior headroom drop-down bed		mm	-	-	1.900	1.900
Maximum technically permissible laden mass [2]		kg	3.500	3.500	3.500	3.500
Unladen weight		kg	*	*	*	*
Mass in running order [3]		kg	*	*	*	*
Payload [4]		kg	*	*	*	*
Towing capacity, braked [5]		kg	2.000	2.000	2.000	2.000
Body wall thickness (floor / roof / wall)		mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
NUMBER OF SEATS						
Number of people when driving [6]			4	4	4	4
Three-point seatbelts			4	4	4	4
Seatbelt anchor with rear-facing lap belts			-	-	-	2
NUMBER OF BERTHS						
Number of berths / optional berths			2 / 2	2 / 1	4	4 / 2
Bed size, single beds (length x width)		mm	-	2.000 x 830; 1.900 x 830	-	2.135 x 840; 2.135 x 900
Bed size, double bed (length x width)		mm	2.000 x 1.400 / 1.100	-	2.000 x 1.400 / 1.100	-
Bed size, drop-down bed (length x width)		mm	-	-	2.000 x 1.320 / 1.190	2.000 x 1.300
Bed size, seating area bed conversion (length x width)		mm	2.120 x 1.200	2.120 x 1.200 / 450	-	2.100 x 1.400
CAPACITY						
Fuel tank		l	90	90	90	90
AdBlue tank		l	20	20	20	20
Waste water tank		l	96	96	96	96
Fresh water tank [7]		l	10 / 100	10 / 100	10 / 100	10 / 100
INSTALLATION LOCATIONS						
Outside shower			Driver side	Driver side	Driver side	Driver side
External socket			Passenger side	Passenger side	Passenger side	Passenger side
Roof-mounted air conditioning unit [8]			Centre / rear	Centre / rear	Centre / rear	Centre / rear
TV bracket [9]			Entrance left	Seating area / washroom	Entrance left	Seating area / kitchen
Fresh water tank			Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat
External gas socket			Passenger side	Passenger side	Passenger side	Passenger side
ON-BOARD TECHNOLOGY						
Room for gas bottles		kg	2 x 11	2 x 11	2 x 11	2 x 11
Number of power sockets (12 V / 230 V)			0 / 4	0 / 3	0 / 4	0 / 3
Charger			25 A	25 A	25 A	25 A
GARAGES AND LOCKERS						
Garage internal dimensions (length x width x height)		mm	-	1.000 x 2.180 x 1.100	-	866 x 2.180 x 765 / 1.530
Garage door on passenger side (inner dimensions: width x height)		mm	-	820 x 1.010	-	670 x 1.150
Garage door on driver's side (inner dimensions: width x height)		mm	-	820 x 1.010	-	-
Locker door (inner dimensions: width x height)		mm	1.150 x 700	-	1.150 x 700	340 x 385
			T65 FL	**T65 GE**	**T65 HFL**	**T65 HKM**

● Standard package – Not technically supported o Optional extras

The explanation of the footnotes can be found on page 4.

* Due to missing technical data for the new Euro 6d-Temp engine, the final figures were not finalised at the time of going to press.

HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

	OPTIMA ONTOUR			
	T65 FL	T65 GE	T65 HFL	T65 HKM
ENGINE				
Citroën Jumper 2.2 l – BlueHDi 120, Euro 6d-TEMP, 2,179 ccm, 88 kW / 120 hp, with start / stop technology [1]	●	●	●	●
CHASSIS				
Citroën Low-Frame Chassis Light, 3,500 kg	●	●	●	●
WHEEL RIMS				
Steel rims 15", original Citroën	●	●	●	●
BASE VEHICLE				
ABS anti-lock braking system	●	●	●	●
Wing mirrors, electrically adjustable and heated	●	●	●	●
Wing mirrors, extended	●	●	●	●
On-board computer	●	●	●	●
Diesel fuel tank, 90 litres	●	●	●	●
AdBlue tank, 20 litres	●	●	●	●
ESP including ASR, Hill Holder and HDC	●	●	●	●
Driver and passenger airbag	●	●	●	●
Window lifts, electric	●	●	●	●
Air conditioning, manual with pollen filter in cab	●	●	●	●
Radio antenna integrated in roof area	●	●	●	●
Radio kit with loudspeakers	●	●	●	●
Tyre pressure monitoring system	●	●	●	●
Tyre repair set	●	●	●	●
Transmission, 6-speed manual	●	●	●	●
Mud flaps, front	●	●	●	●
Mud flaps, rear	-	-	-	●
Front bumper and cab door handles painted in body colour	●	●	●	●
Cruise control	●	●	●	●
Hazard triangle and first aid kit	●	●	●	●
Immobiliser, electronic	●	●	●	●
Central locking with remote control	●	●	●	●
DESIGN VARIANTS				
Front end paint finish white, radiator grille black, headlight mouldings silver, decor black	●	●	●	●
CAB				
Cup holder	●	●	●	●
Roof vent, can be opened, double-glazed and tinted	●	●	●	●
Driver and passenger seats with armrests "Captain's Chair", swivel and height-adjustable	●	●	●	●
Driver and passenger seat covered in original Citroën upholstery	●	●	●	●
All-round shelf	●	●	●	●
Blackout system for front and side cab windows	●	●	●	●
WINDOW				
Hinged window, can be opened, double-glazed and tinted	●	●	●	●
Combi-cassettes with blackout blind and insect screen, for all windows	●	●	●	●
BODY				
GRP floor with XPS heat insulation	●	●	●	●
GRP roof for optimal hail protection	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in living area	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in sleeping area	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in washroom	●	●	●	●
Entrance door, extra wide with single-point locking, inner dimensions: 605 x 1,740 mm	●	●	●	●
Insect screen for entrance door	●	●	●	●
Grab handle	●	●	●	●
Entry step, electrically operated	●	●	●	●
LED entry light	●	●	●	●
Gas bottle pull-out shelf, accommodates 2 x 11 kg bottles	●	●	●	●
Apron rails made of aluminium	●	●	●	●
GARAGES AND LOCKERS				
Lowered rear with XPS heat insulation	●	●	●	●
Rear garage, insulated and heated, with robust floor covering	-	●	-	●
Storage spaces, insulated and heated, with robust floor covering	●	-	●	-
Garage door on passenger side	-	●	-	●
Garage door on the driver's side	-	●	-	-
Lashing rails and eyes in garage	-	●	-	●

	OPTIMA ONTOUR			
	T65 FL	T65 GE	T65 HFL	T65 HKM
LIVING AREA				
Coat rack in entrance area	●	-	●	-
Wall units with plenty of storage space	●	●	●	●
Wardrobe with interior light	●	●	●	●
Barrier-free transition from cab to living area	●	●	●	●
FURNITURE FINISH				
Cocobolo / Piquet Grey	●	●	●	●
UPHOLSTERY COMBINATIONS				
Arras	●	●	●	●
KITCHEN				
Slim Tower refrigerator DOMETIC, 140 litres, including removable 12-litre freezer compartment	●	●	●	●
Stainless steel 3-burner hob, electric ignition and glass cover	●	●	●	●
Stainless steel sink	●	-	●	●
Stainless steel sink with glass cover	-	●	-	-
Drawers, generously sized, fully extendable, with soft-close mechanism	●	●	●	●
Kitchen counter	●	-	●	●
Worktop extension	-	●	-	●
Spice racks in kitchen wall unit	●	●	●	●
Cutlery insert	●	●	●	●
Kitchen power socket	●	●	●	●
SLEEPING AREA				
Single beds	-	●	-	-
Bunk beds, 2-tier	-	-	-	●
Double bed	●	-	●	-
Drop-down bed with easy-action cable-operated system	-	-	●	●
Cold foam mattress(es)	●	●	●	●
Slatted frame GOODSIDE®	●	●	●	●
All-round wall units above bed	●	●	●	-
Under-bed linen compartment	-	●	-	-
Light switch in sleeping area	●	●	●	●
WASHROOM				
Compact washroom with integrated shower	-	●	-	●
Washroom with separate shower	●	-	●	-
Shower screen	●	●	●	●
Shower column with shower fitting and compartments	●	●	●	●
Rotating toilet THETFORD	●	●	●	●
Mirror cabinet	●	●	●	●
Washing line, extendable	●	●	●	●
WATER / GAS / ELECTRICITY				
Waste water tank, 96 litres, insulated and heated	●	●	●	●
Fresh water tank, 10 / 100 litres, frost-protected	●	●	●	●
AGM on-board battery, 12 V / 95 Ah	●	●	●	●
Frost-protected installation in the floor pedestal	●	●	●	●
Gas regulator with over-pressure protection (DIN EN 12 864) and hose line	●	●	●	●
Gas distributor in kitchen unit	●	●	●	●
Hobby standard control panel	●	●	●	●
Power supply, 12 V / 230 V	●	●	●	●
Tandem submersible pump	●	●	●	●
LIGHTING				
Reading lights in sleeping area	●	●	●	●
Reading lights in seating area	●	●	●	●
Ceiling light	●	●	●	●
Spotlight in the shower	●	-	●	-
Work surface lighting in the kitchen	●	●	●	●
Garage light	●	●	●	●
HEATING / AIR CONDITIONING				
Heating system TRUMA Combi 6 including 10-litre hot water supply system and frost monitor valve	●	●	●	●
Control panel TRUMA CP Classic	●	●	●	●
Hot water supply in kitchen and bathroom	●	●	●	●
Winter vents for seating area, lockers and beds	●	●	●	●

OPTIONAL EXTRAS

	WEIGHT (KG)	PRICE EX WORKS (€) (INC 19% VAT)	OPTIMA ONTOUR			
			T65 FL	T65 GE	T65 HFL	T65 HKM
MOTORISATION						
Citroën Jumper 2.2 l – BlueHDi 140, Euro 6d-TEMP, 2,179 ccm, 103 kW / 140 hp, with start / stop technology [1]	*	720,00	o	o	o	o
Citroën Jumper 2.2 l – BlueHDi 165, Euro 6d-TEMP, 2,179 ccm, 121 kW / 165 hp, with start / stop technology [1]	*	1.620,00	o	o	o	o
INCREASE / DECREASE IN LOAD CAPACITY						
Increase in load capacity to 3,650 kg, without any technical modifications [10]	0,00	206,00	o	o	o	o
WHEEL RIMS						
Steel rims 16", original Citroën	16,00	195,00	o	o	o	o
Alloy rims 16", original Citroën	16,00	640,00	o	o	o	o
BASE VEHICLE						
Air conditioning, automatic	0,00	398,00	o	o	o	o
Fog lights	2,00	195,00	o	o	o	o
Trailer hitch SAWIKO, detachable	29,00	1.582,00	o	o	o	o
Trailer hitch SAWIKO, fixed	29,00	1.282,00	o	o	o	o
CAB						
Driver and passenger seat covered in same upholstery as living area	3,00	599,00	o	o	o	o
Floor mat in the cab	1,50	66,00	o	o	o	o
Blackout system REMIS for front and side cab windows	3,50	621,00	o	o	o	o
Thermal curtains including footwell insulation	4,50	314,00	o	o	o	o
WINDOW						
Framed windows, can be opened, double-glazed and tinted, for standard windows	8,00	732,00	o	o	o	o
Framed windows, can be opened, double-glazed and tinted, on the driver's side in the area of the single bed, 840 x 260 mm	4,00	464,00	-	o	-	-
Hinged window, can be opened, double-glazed and tinted, on the driver's side in the area of the single bed, 840 x 260 mm	3,20	406,00	-	o	-	-
BODY						
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blackout blind and insect screen in sleeping area	4,50	385,00	o	o	o	-
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blackout blind and insect screen in living area	4,50	385,00	o	o	o	o
Awning THULE OMNISTOR, width 400 cm, pull-out depth 250 cm	29,50	900,00	o	o	o	o
Entrance door, extra wide with double lock, window, waste bin and compartments, inner dimensions: 605 x 1,740 mm	1,00	439,00	o	o	o	o
Bicycle rack THULE for 2 bicycles, loading capacity 60 kg	8,00	352,00	o	o	o	o
Bicycle rack THULE for 3 bicycles, loading capacity 60 kg	11,00	386,00	o	o	o	o
Bicycle rack THULE for 4 bicycles, loading capacity 60 kg	14,00	439,00	o	o	o	o
Bicycle rack SAWIKO Mikro for 4 bicycles, loading capacity 120 kg	30,00	1.347,00	o	o	o	o
Rear steadies	6,00	348,00	o	o	o	o
LIVING AREA						
Carpet in the living area, removable	10,00	275,00	o	o	o	o
UPHOLSTERY COMBINATIONS						
Vigo	0,00	219,00	o	o	o	o
KITCHEN						
Oven with electric ignition and light	16,00	590,00	o	o	o	-
Extractor hood DOMETIC	3,00	286,00	o	o	o	o
SLEEPING AREA						
Bed extension including cold foam mattress and ladder	4,80	206,00	-	o	-	-
Cushion for bed conversion in the seating area	2,00	236,00	o	o	-	●
WATER / GAS / ELECTRICITY						
TFT control panel including CI-BUS and battery management system with HELLA battery sensor	0,50	372,00	o	o	o	o
Outside shower, cold water	0,50	192,00	o	o	o	o
External socket 12 V / 230 V, including satellite / TV connection	0,40	133,00	o	o	o	o
External gas socket	1,50	226,00	o	o	o	o
Gas pressure regulator TRUMA MonoControl including crash sensor	1,00	183,00	o	o	o	o
Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and EisEx de-icing system	2,00	279,00	o	o	o	o
Gas filter TRUMA for MonoControl or DuoControl	0,40	156,00	o	o	o	o
Remote display for gas pressure regulator TRUMA DuoControl	0,60	207,00	o	o	o	o
Wireless alarm system with gas warning system for narcotic gases, propane and butane	1,00	395,00	o	o	o	o
HOBBY-CONNECT, remote control for on-board technology using app [11, 12, 13]	0,60	741,00	o	o	o	o
Smoke alarm [14]	0,20	28,00	o	o	o	o
Dual USB charging socket, 1 per living and sleeping area	0,10	104,00	o	o	o	o
Preparation for reversing camera	0,80	70,00	o	o	o	o
Preparation for solar power system	1,00	98,00	o	o	o	o
Additional AGM on-board battery, 12 V / 95 Ah	28,00	350,00	o	o	o	o
Additional power socket 12 V (installation location can be selected)	0,50	80,00	o	o	o	o
Additional power socket 230 V (installation location can be selected)	0,50	80,00	o	o	o	o

● Standard package – Not technically supported ○ Optional extras

* Due to missing technical data for the new Euro 6d-Temp engine, the final figures were not finalised at the time of going to press.

The explanation of the footnotes can be found on page 4.

OPTIONAL EXTRAS

	WEIGHT (KG)	PRICE EX WORKS (€) (INC 19% VAT)	OPTIMA ONTOUR			
			T65 FL	T65 GE	T65 HFL	T65 HKM
HEATING / AIR CONDITIONING						
LCD control panel TRUMA Combi CP Plus	0,20	60,00	o	o	o	o
Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting, 2.2 KW [8, 12]	32,00	1.976,00	o	o	o	o
Preparation for roof-mounted air conditioning unit	1,50	69,00	o	o	o	o
Heating system TRUMA Combi 6 E, instead of Combi 6 [13]	1,10	624,00	o	o	o	o
MULTIMEDIA						
Pull-out shelf for flat screen TV [9]	2,60	306,00	o	o	o	o
Navigation system with DAB+, including CD / DVD player, reversing camera, pitch database, Apple CarPlay and Android Auto	4,70	1.663,00	o	o	o	o
LED flat screen 22" including tuner / receiver and DVD player	3,40	418,00	o	o	o	o
Satellite system KATHREIN CAP 650 including TWIN LNB [12]	15,00	2.035,00	o	o	o	o
Preparation for satellite system	0,70	70,00	o	o	o	o
TV connection, including 12 V / 230 V and antenna socket	0,10	55,00	o	o	o	o
COUNTRY SPECIFICATIONS						
Registration documents [15]	0,00	189,00	o	o	o	o

GENERAL REFERENCES

Pricelist Optima Ontour 2020 season, last updated June 2019

This price list supersedes all previous price lists that have been published. The prices are recommended retail prices ex works from Fockbek including statutory VAT. New prices will apply if the chassis manufacturers change their prices. If accessories and optional extras are fitted and installed, the payload will be reduced and the unladen weight, mass in running order and height of the vehicle will be increased. All mass and weight specifications comply with Commission Regulation (EU) 1230/2012, unless the brochure including technical data and price list specify otherwise. The weight of additional equipment is specified in our brochures or you can request this information from your dealer/salesperson. Weight measurements may vary by up to five percent due to the use of natural materials. All content is correct at the time of going to press. Design and equipment subject to change without notice; errors excepted.

Some of the models featured in the brochure have optional extras or decorations that are not part of the standard scope of delivery. Deviations from the pictured furnishings in terms of structure and colour are excepted provided they relate to the nature of the materials used and are consistent with standard commercial practice. The same applies to technical modifications to the vehicle provided the overall product quality remains the same or is improved and the intended purpose is not impaired.

The prices quoted are only valid within the scope of new series production. In some cases, it may not be possible to retrofit certain optional extras, or this may be associated with significant additional costs.

KEY TO SYMBOLS

- Sleeping area
- Seating area
- Kitchen
- Bathroom
- Storage space

KEY TO SYMBOLS

T Semi-integrated

H Drop-down bed

G Garage

E Single beds

FL French bed, lengthwise

K Children's beds

M Central seating unit

GERMANY

Hobby-Wohnwagenwerk
Ing. Harald Striewski GmbH
Harald-Striewski-Straße 15
24787 Fockbek/Rendsburg
www.hobby-caravaning.de
www.facebook.com/hobby.de

FOOTNOTES

1 Includes alternator 220 A.

2 The maximum technically permissible laden mass must not be exceeded under any circumstances.

3 The mass in running order may deviate by +/- 5% from the nominal value stated in Directive 2007/46/EC, Annex I, Paragraph 2.6, Letter b, or in Annex III, Part I, Section A or B, or in the CoC, or in ZB II. It consists of the empty vehicle weight including lubricant, on-board tools, repair kit, fuel (90%), extra battery, all ex-factory standard equipment and 75 kg driver allowance. It has been determined in accordance with Commission Regulation (EU) No 1230/2012, allowing for the drive-ready fresh water tank filling volume (cf. Fn. 5), a full hot water heater and a full 11 kg aluminium gas bottle.

4 The payload corresponds to the difference between the maximum technically permissible laden mass and the mass in running order. This value must take into account the weights of passengers, optional accessories and personal items. The payload capacity is reduced when optional extras and accessories are installed. Furthermore, the payload capacity is not only dependent on the mass in running order, the actual vehicle mass, the weight of the accessories and the maximum technically permissible laden mass, but also on the respective axle loads. A prerequisite for reaching the maximum vehicle payload capacity is the appropriate distribution of the load in relation to the axle load.

5 The trailer hitch is one of the optional extras. Please comply with the maximum permissible gross train weights.

6 The maximum number of permitted people specified in each case is dependent on the weight and axle load. It may be reduced when optional extras and accessories are installed, meaning that individual seats cannot be used in favour of the payload capacity. If all the seats are to be used, this must be at the partial expense of the payload. The maximum technically permissible laden mass and the axle loads must not be exceeded.

7 Capacity of the fresh water tank according to Annex V, Part A, Para. 2.6 Fn. (h) of Commission Regulation (EU) No 1230/2012 allowing for the driving restriction (valve on the fresh water tank): 10 litres (drive-ready filling volume). If the valve on the fresh water tank is set accordingly, the max. capacity is 100 litres.

8 The Heki rooflight is removed if the roof-mounted air conditioning unit is installed.

9 The installation location of the TV bracket / pull-out mount can accommodate a television with a diagonal screen size of up to 22" (max. overall dimensions: 535 x 351 x 50 mm).

10 The increase in load capacity reduces the towing capacity (braked).

11 Subject to subscription costs, please refer to the product description for more information about Hobby Connect. Availability varies according to country.

12 This optional extra is only available in conjunction with the TFT control panel.

13 Only in conjunction with TRUMA Combi CP Plus LCD control panel.

14 Battery-powered.

15 Includes: homologation / EU type-approval. COC / APPROVAL CERTIFICATE PART II AND GAS CERTIFICATE

YOUR AUTHORISED DEALER

Hobby
BUILT FOR LIFE