PRELIMINARY
EQUIPMENT LIST

TECHNICAL DATA AND OPTIONAL EXTRAS

OPTIMA DE LUXE 2020
OPTIMA PREMIUM 2020

Hobby
BUILT FOR LIFE

MODEL OVERVIEW

OPTIMA DE LUXE

OPTIMA PREMIUM

HOBBYCOMPLETE
YOUR FULLY EQUIPPED HOBBY.

Equipment Packages up to 13.550 € are already included in the O.T.R.

Everything you need for an enjoyable, carefree holiday is already on board. Including highlights such as the navigation system, roof awning, driver-side garage door and hinged roof vent above the cockpit.
With its all-inclusive package, the Motorhomes are coming ready to hit the road. Enjoy your holiday – without costly extras, supplementary packs or hidden costs.

MODEL OVERVIEW

OPTIMA DE LUXE

T65 FL

L: 7.019 mm · B: 2.330 mm · G: 3.500 kg

T65 GE

L: 7.069 mm · B: 2.330 mm · G: 3.500 kg

T70 F

L: 7.415 mm · B: 2.330 mm · G: 3.500 kg

T70 GE

L: 7.415 mm · B: 2.330 mm · G: 3.500 kg

T65 HFL

L: 7.019 mm · B: 2.330 mm · G: 3.500 kg

T75 HF

L: 7.616 mm · B: 2.330 mm · G: 3.650 kg

OPTIMA PREMIUM

T65 GE

L: 7.098 mm · B: 2.330 mm · G: 3.500 kg

T70 E

L: 7.444 mm · B: 2.330 mm · G: 3.500 kg

T70 GE

L: 7.444 mm · B: 2.330 mm · G: 3.500 kg

T75 HGE

L: 7.564 mm · B: 2.330 mm · G: 3.650 kg

KEY TO SYMBOLS

- Sleeping area | Drop-down bed
- Seating area
- Kitchen
- Bathroom
- Storage space
- Number of people when driving
- Berths + optional berths
- Refrigerator (L)
- Garage
- Lowered rear
- L-shaped seating area, angled (opt.)
- L-shaped seating area, straight (opt.)
- T Semi-integrated
- H Drop-down bed
- G Garage
- E Single beds
- F French bed
- FL French bed, lengthwise

EXAMPLE

L-SEATING AREA

L-shaped seating area, angled or straight (model dependent)

TECHNICAL DATA

	WEIGHT	UNIT	OPTIMA DE LUXE						OPTIMA PREMIUM			
			SEMI-INTEGRATED (T)				DROP-DOWN BED (H)		SEMI-INTEGRATED (T)			DROP-DOWN BED (H)
ENGINE/ MODEL			**T65 FL**	**T65 GE**	**T70 F**	**T70 GE**	**T65 HFL**	**T75 HF**	**T65 GE**	**T70 E**	**T70 GE**	**T75 HGE**
FIAT Ducato 2.3 l – 140 Multijet, Euro 6d-TEMP, 2,287 ccm, 103 kW / 140 hp, with start / stop technology [1]			●	●	●	●	●	●	●	●	●	●
FIAT Ducato 2.3 l – 160 Multijet Power, Euro 6d-TEMP, 2,287 ccm, 118 kW / 160 hp, with start / stop technology [1]	*	kg	o	o	o	o	o	o	o	o	o	o
FIAT Ducato 2.3 l – 180 Multijet Power, Euro 6d-TEMP, 2,287 ccm, 131 kW / 178 hp, with start / stop technology [1]	*	kg	o	o	o	o	o	o	o	o	o	o
CHASSIS												
FIAT Low-Frame Chassis Light, 3,500 kg			●	●	●	●	●	o	●	●	●	o
FIAT Low-Frame Chassis Light, 3,650 kg			o	o	o	o	o	●	o	o	o	●
FIAT Low-Frame Chassis Maxi, 4,250 kg (only in conjunction with 140 hp engine)	40,00	kg	o	o	o	o	o	o	o	o	o	o
FIAT Low-Frame Chassis Maxi, 4,400 kg (only in conjunction with 160 hp or 178 hp engine)	40,00	kg	o	o	o	o	o	o	o	o	o	o
CHASSIS												
Number of axles			2	2	2	2	2	2	2	2	2	2
Front wheel drive			●	●	●	●	●	●	●	●	●	●
Wheelbase		mm	4.035	4.035	4.035	4.300	4.035	4.300	4.035	4.035	4.300	4.300
Tyre size			215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP	215 / 70 R 15 CP
Turning circle		m	14,43	14,43	14,43	15,30	14,43	15,30	14,43	14,43	15,30	15,30
DIMENSIONS AND WEIGHT												
Overall length		mm	7.019	7.069	7.415	7.415	7.019	7.616	7.098	7.444	7.444	7.564
Overall width		mm	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.330
Overall height		mm	2.775	2.775	2.775	2.775	2.845	2.845	2.775	2.775	2.775	2.845
Interior headroom		mm	1.984	1.984	1.984	1.984	2.054	2.054	1.984	1.984	1.984	2.054
Interior headroom drop-down bed		mm	-	-	-	-	1.900	1.900	-	-	-	1.900
Maximum technically permissible laden mass [2]		kg	3.500	3.500	3.500	3.500	3.500	3.650	3.500	3.500	3.500	3.650
Unladen weight		kg	*	*	*	*	*	*	*	*	*	*
Mass in running order [3]		kg	*	*	*	*	*	*	*	*	*	*
Payload [4]		kg	*	*	*	*	*	*	*	*	*	*
Towing capacity, braked [5]		kg	2.000	2.000	2.000	2.000	2.000	1.900	2.000	2.000	2.000	1.900
Body wall thickness (floor / roof / wall)		mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
NUMBER OF SEATS												
Number of people when driving [6]			4	4	4	4	4	4	4	4	4	4
Three-point seatbelts			4	4	4	4	4	4	4	4	4	4
NUMBER OF BERTHS												
Number of berths / optional berths			2 / 2	2 / 1	2 / 1	2 / 1	4	4	2 / 1	2 / 1	2 / 1	4
Bed size, single beds (length x width)		mm	-	2.000 x 830; 1.900 x 830	-	1.936 x 830; 2.000 x 830	-	-	2.000 x 830; 1.900 x 830	2x 2.015 x 805	1.936 x 830; 2.000 x 830	1.900 x 830; 2.095 x 830
Bed size, double bed (length x width)		mm	2.000 x 1.400 / 1.100	-	2.000 x 1.400/ 1.100	-	2.000 x 1.400 / 1.100	2.000 x 1.400 / 1.100	-	-	-	-
Bed size, drop-down bed (length x width)		mm	-	-	-	-	2.000 x 1.320 / 1.190	2.000 x 1.320 / 1.190	-	-	-	2.000 x 1.320 / 1.190
Bed size, seating area bed conversion (length x width)		mm	2.120 x 1.200	2.120 x 1.200 / 450	2.120 x 1.010 / 970	2.120 x 1.010 / 730	-	-	2.120 x 1.200 / 450	2.120 x 1.010 / 1.020	2.120 x 1.010 / 730	-
CAPACTITY												
Fuel tank		l	75	75	75	75	75	75	75	75	75	75
AdBlue tank		l	19	19	19	19	19	19	19	19	19	19
Waste water tank		l	96	96	96	96	96	96	96	96	96	96
Fresh water tank [7]		l	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100
INSTALLATION LOCATIONS												
Outside shower			Driver side	Driver side	Driver side	Driver side	Driver side	Driver side	Driver side	Driver side	Driver side	Driver side
External socket			Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side
Roof-mounted air conditioning unit [8]			Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear	Centre / rear
TV bracket [9]			Entrance left	Seating area / washroom	Entrance left	Entrance left	Entrance left	Entrance left	Seating area / washroom	Entrance left	Entrance left	Entrance left
Fresh water tank			Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor
External gas socket			Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side
ON-BOARD TECHNOLOGY												
Room for gas bottles		kg	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11
Number of power sockets (12 V / 230 V)			2 / 5	3 / 5	2 / 5	3 / 6	2 / 5	2 / 5	3 / 5	2 / 5	3 / 6	3 / 5
Charger			25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A
GARAGES AND LOCKERS												
Garage internal dimensions (length x width x height)		mm	-	1.000 x 2.180 x 1.100	-	1.100 x 2.180 x 1.100	-	-	980 x 2.180 x 925 / 1.100	-	1.100 x 2.180 x 925 / 1.100	1.200 / 900 x 2.180 x 925/ 1.100
Garage door on passenger side (inner dimensions: width x height)		mm	-	820 x 1.010	-	930 x 1.010	-	-	640 x 1.010	-	750 x 1.010	820 x 1.010
Garage door on driver's side (inner dimensions: width x height)		mm	-	820 x 1.010	-	930 x 1.010	-	-	640 x 1.010	-	750 x 1.010	820 x 1.010
Locker door (inner dimensions: width x height)		mm	1.150 x 700	-	900 x 510	-	1.150 x 700	900 x 510	-	1.000 x 510	-	-
			T65 FL	**T65 GE**	**T70 F**	**T70 GE**	**T65 HFL**	**T75 HF**	**T65 GE**	**T70 E**	**T70 GE**	**T75 HGE**

● Standard package o Optional extras – Not technically supported

The explanation of the footnotes can be found on page 12.

* Due to missing technical data for the new Euro 6d-Temp engine, the final figures were not finalised at the time of going to press.

HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

	OPTIMA DE LUXE						OPTIMA PREMIUM			
	T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
ENGINE										
FIAT Ducato 2.3 l – 140 Multijet, Euro 6d-TEMP, 2,287 ccm, 103 kW / 140 hp, with start / stop technology [1]	●	●	●	●	●	●	●	●	●	●
CHASSIS										
FIAT Low-Frame Chassis Light, 3,500 kg	●	●	●	●	●	-	●	●	●	-
FIAT Low-Frame Chassis Light, 3,650 kg	-	-	-	-	-	●	-	-	-	●
INCREASE / DECREASE IN LOAD CAPACITY										
Increase in load capacity to 3,650 kg, without any technical modifications	o	o	o	o	o	●	o	o	o	●
WHEEL RIMS										
✅ Steel rims 15", original FIAT, with wheel covers	●	●	●	●	●	●	●	●	●	●
BASE VEHICLE										
ABS anti-lock braking system	●	●	●	●	●	●	●	●	●	●
✅ Wing mirrors, electrically adjustable and heated	●	●	●	●	●	●	●	●	●	●
Wing mirrors, extended	●	●	●	●	●	●	●	●	●	●
On-board computer	●	●	●	●	●	●	●	●	●	●
Diesel fuel tank, 75 litres	●	●	●	●	●	●	●	●	●	●
AdBlue tank, 19 litres	●	●	●	●	●	●	●	●	●	●
✅ ESP including ASR, Hill Holder and TRACTION+	●	●	●	●	●	●	●	●	●	●
✅ Driver and passenger airbag	●	●	●	●	●	●	●	●	●	●
Window lifts, electric	●	●	●	●	●	●	●	●	●	●
✅ Instrument panel with chrome rings	●	●	●	●	●	●	●	●	●	●
✅ Air conditioning, manual with pollen filter in cab	●	●	●	●	●	●	●	●	●	●
✅ LED daytime running light	●	●	●	●	●	●	●	●	●	●
✅ Steering wheel and gearstick in leather finish	●	●	●	●	●	●	●	●	●	●
✅ Radio antenna integrated in roof area	●	●	●	●	●	●	●	●	●	●
Radio kit with loudspeakers	●	●	●	●	●	●	●	●	●	●
Tyre repair set	●	●	●	●	●	●	●	●	●	●
Transmission, 6-speed manual	●	●	●	●	●	●	●	●	●	●
Mud flaps, front	●	●	●	●	●	●	●	●	●	●
✅ Front bumper painted in body colour	●	●	●	●	●	●	●	●	●	●
✅ Cruise control	●	●	●	●	●	●	●	●	●	●
Hazard triangle and first aid kit	●	●	●	●	●	●	●	●	●	●
Immobiliser, electronic	●	●	●	●	●	●	●	●	●	●
Central locking with remote control	●	●	●	●	●	●	●	●	●	●
DESIGN VARIANTS										
Front end paint finish white, radiator grille and headlight mouldings black, decor black	●	●	●	●	●	●	●	●	●	●
CAB										
Cup holder	●	●	●	●	●	●	●	●	●	●
Tablet holder and USB charging socket	●	●	●	●	●	●	●	●	●	●
✅ Roof vent, can be opened, double-glazed and tinted	●	●	●	●	●	●	●	●	●	●
✅ Driver and passenger seats with armrests "Captain's Chair", swivel and height-adjustable	●	●	●	●	●	●	●	●	●	●
Driver and passenger seat covered in same upholstery as living area	●	●	●	●	●	●	●	●	●	●
✅ Floor mat in the cab	●	●	●	●	●	●	●	●	●	●
All-round shelf	●	●	●	●	●	●	●	●	●	●
✅ Blackout system REMIS for front and side cab windows	●	●	●	●	●	●	●	●	●	●

● Standard package o Optional extras – Not technically supported ✅ HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

	OPTIMA DE LUXE						OPTIMA PREMIUM			
	T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
WINDOW										
Hinged window, can be opened, double-glazed and tinted	●	●	●	●	●	●	●	●	●	●
Combi-cassettes with pleated blackout blind and insect screen, for all windows	●	●	●	●	●	●	●	●	●	●
BODY										
✅ GRP floor with XPS heat insulation	●	●	●	●	●	●	●	●	●	●
✅ GRP roof for optimal hail protection	●	●	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blackout blind and insect screen in living area	●	●	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in sleeping area	●	●	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in washroom	●	●	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blackout blind and insect screen in shower	-	-	-	●	-	-	-	-	●	-
✅ Roof awning THULE OMNISTOR, pull-out depth 250 cm, width dependent on model	375	375	425	425	375	425	375	425	425	425
✅ Entrance door, extra wide with double lock, window, waste bin and compartments, inner dimensions: 605 x 1,740 mm	●	●	●	●	●	●	●	●	●	●
✅ Insect screen for entrance door	●	●	●	●	●	●	●	●	●	●
✅ Grab handle with light	●	●	●	●	●	●	●	●	●	●
Entry step, electrically operated	●	●	●	●	●	●	●	●	●	●
LED entry light	●	●	●	●	●	●	●	●	●	●
Rear lights with dynamic indicator	●	●	●	●	●	●	-	-	-	-
✅ Gas bottle pull-out shelf, accommodates 2 x 11 kg bottles	●	●	●	●	●	●	●	●	●	●
Apron rails made of aluminium	●	●	●	●	●	●	●	●	●	●
GARAGES AND LOCKERS										
Lowered rear with XPS heat insulation	●	●	-	●	●	-	●	-	●	●
Rear garage, insulated and heated, with robust floor covering	-	●	-	●	-	-	●	-	●	●
Storage spaces, insulated and heated, with robust floor covering	●	-	●	-	●	●	-	●	-	-
Garage door on passenger side with gas spring	-	●	-	●	-	-	●	-	●	●
✅ Garage door on the driver's side with gas springs	-	●	-	●	-	-	●	-	●	●
✅ Lashing rails and eyes in garage	-	●	-	●	-	-	●	-	●	●
LIVING AREA										
✅ Coat rack in entrance area	●	-	●	●	●	●	-	●	●	●
Wall units with plenty of storage space	●	●	●	●	●	●	●	●	●	●
✅ Wardrobe with interior light	●	●	●	●	●	●	●	●	●	●
✅ Shoe drawer in entrance area	●	●	-	-	●	●	●	●	-	●
Barrier-free transition from cab to living area	●	●	●	●	●	●	●	●	●	●
FURNITURE FINISH										
Ashai Esche / Magnolia	●	●	●	●	●	●	-	-	-	-
Bronze Metallic / Stone Grey Metallic	-	-	-	-	-	-	●	●	●	●
UPHOLSTERY COMBINATIONS										
Florenz	●	●	●	●	●	●	-	-	-	-
Sari	-	-	-	-	-	-	●	●	●	●

The explanation of the footnotes can be found on page 12.

HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

	OPTIMA DE LUXE						OPTIMA PREMIUM			
	T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
KITCHEN										
Slim Tower refrigerator DOMETIC, 140 litres, including removable 12-litre freezer compartment	●	●	-	-	●	-	●	-	-	●
Super Slim Tower refrigerator DOMETIC, 150 litres, including removable 15-litre freezer compartment	-	-	●	●	-	●	-	●	●	-
Stainless steel 3-burner hob, electric ignition and glass cover	●	●	●	●	●	●	●	●	●	●
Stainless steel sink with chopping board as cover	●	-	●	●	●	●	-	●	●	●
Stainless steel sink with glass cover	-	●	-	-	-	-	●	-	-	-
Drawers, generously sized, fully extendable, with soft-close mechanism	●	●	●	●	●	●	●	●	●	●
Kitchen counter	●	-	●	●	●	●	-	●	●	●
Spice racks in kitchen wall unit	●	●	●	●	●	●	●	●	●	●
Towel rail	●	-	●	-	●	●	-	-	-	●
Cutlery insert	●	●	●	●	●	●	●	●	●	●
Kitchen power socket	●	●	●	●	●	●	●	●	●	●
SLEEPING AREA										
Single beds	-	●	-	●	-	-	●	●	●	●
Double bed	●	-	●	-	●	●	-	-	-	-
Drop-down bed with easy-action cable-operated system	-	-	-	-	●	●	-	-	-	●
Cold foam mattress(es)	●	●	●	●	●	●	●	●	●	●
Slatted frame GOODSIDE®	●	●	●	●	●	●	●	●	●	●
Bed head panel and shelving	●	●	●	●	●	●	●	●	●	●
✅ All-round wall units above bed	●	●	●	●	●	●	●	●	●	●
Under-bed linen compartment	-	●	-	●	-	-	●	-	●	●
Light switch in sleeping area	●	●	●	●	●	●	●	●	●	●
Extendable step for single beds	-	-	-	●	-	-	-	-	●	●
WASHROOM										
Rear washroom with separate shower cubicle, design dependent on model	-	-	●	-	-	●	-	●	-	-
Compact washroom with integrated shower	-	●	-	-	-	-	●	-	-	●
Open-plan bathroom design with separate shower cubicle, design dependent on model	-	-	-	●	-	-	-	-	●	-
Washroom with separate shower	●	-	-	-	●	-	-	-	-	-
Shower screen	●	●	●	●	●	●	●	●	●	●
Shower column with shower fitting and compartments	●	●	●	●	●	●	●	●	●	●
Swivel toilet THETFORD	●	●	●	●	●	●	●	●	●	●
Mirror cabinet	●	●	●	●	●	●	●	●	●	●
Tambour door	●	-	-	-	●	-	●	-	-	-
✅ Washing line, extendable	●	●	●	●	●	●	●	●	●	●
WATER / GAS / ELECTRICITY										
✅ Waste water tank, 96 litres, insulated and heated	●	●	●	●	●	●	●	●	●	●
Fresh water tank, 10 / 100 litres, frost-protected [7]	●	●	●	●	●	●	●	●	●	●
AGM habitation battery, 12 V / 95 Ah	●	●	●	●	●	●	●	●	●	●
Frost-protected installation in the floor pedestal	●	●	●	●	●	●	●	●	●	●
Gas regulator with over-pressure protection (DIN EN 12 864) and hose line	●	●	●	●	●	●	●	●	●	●
Gas control taps in kitchen unit	●	●	●	●	●	●	●	●	●	●
✅ TFT control panel including CI-BUS and battery management system with HELLA battery sensor	●	●	●	●	●	●	●	●	●	●
Power supply, 12 V / 230 V	●	●	●	●	●	●	●	●	●	●
✅ Power sockets in garage, 12 V / 230 V	-	●	-	●	-	-	●	-	●	●
Tandem submersible pump	●	●	●	●	●	●	●	●	●	●

● Standard package – Not technically supported ✅ HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

	OPTIMA DE LUXE						OPTIMA PREMIUM			
	T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
LIGHTING										
✅ Ambient lighting, design dependent on model	●	●	●	●	●	●	●	●	●	●
Swan neck lamps in sleeping area	●	●	●	●	●	●	●	●	●	●
Swan neck lamps in seating area	●	●	●	●	-	-	●	●	●	-
Ceiling light	●	●	●	●	●	●	●	●	●	●
Spotlight in the shower	●	-	●	-	●	●	-	●	-	-
Work surface lighting in the kitchen	●	●	●	●	●	●	●	●	●	●
Garage light	●	●	●	●	●	●	●	●	●	●
HEATING / AIR CONDITIONING										
Heating system TRUMA Combi 6 including 10-litre hot water supply system and frost monitor valve	●	●	●	●	●	●	●	●	●	●
LCD control panel TRUMA Combi CP Plus	●	●	●	●	●	●	●	●	●	●
Hot water supply in kitchen and bathroom	●	●	●	●	●	●	●	●	●	●
Winter vents for seating area, lockers and beds	●	●	●	●	●	●	●	●	●	●
MULTIMEDIA										
✅ Pull-out shelf for flat screen TV [9]	●	●	●	●	●	●	●	●	●	●
✅ Loudspeaker for seating area, x 2	●	●	●	●	●	●	●	●	●	●
✅ Navigation system with DAB+, including CD / DVD player, reversing camera, pitch database, Apple CarPlay and Android Auto	●	●	●	●	●	●	●	●	●	●
Preparation for satellite system	●	●	●	●	●	●	●	●	●	●
TV connection, including 12 V / 230 V and antenna socket	●	●	●	●	●	●	●	●	●	●

The explanation of the footnotes can be found on page 12.

OPTIONAL EXTRAS

	WEIGHT (KG)	PRICE EX WORKS (€) (INC 19% VAT)	OPTIMA DE LUXE						OPTIMA PREMIUM			
			T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
ENGINE												
FIAT Ducato 2.3 l – 160 Multijet Power, Euro 6d-TEMP, 2,287 ccm, 118 kW / 160 hp, with start / stop technology [1]	*	1.700,00	o	o	o	o	o	o	o	o	o	o
FIAT Ducato 2.3 l – 180 Multijet Power, Euro 6d-TEMP, 2,287 ccm, 131 kW / 178 hp, with start / stop technology [1]	*	3.400,00	o	o	o	o	o	o	o	o	o	o
CHASSIS												
FIAT Low-Frame Chassis Maxi, 4,250 kg (only in conjunction with 140 hp engine)	40,00	1.495,00	o	o	o	o	o	o	o	o	o	o
FIAT Low-Frame Chassis Maxi, 4,400 kg (only in conjunction with 160 hp or 178 hp engine)	40,00	1.895,00	o	o	o	o	o	o	o	o	o	o
INCREASE / DECREASE IN LOAD CAPACITY												
Increase in load capacity to 3,650 kg, without any technical modifications [10]	0,00	206,00	o	o	o	o	o	●	o	o	o	●
Decrease in load capacity to 3,500 kg, without any technical modifications	0,00	206,00	-	-	-	-	-	o [11]	-	-	-	o [11]
WHEEL RIMS												
Steel rims 16", original FIAT	16,00	195,00	o	o	o	o	o	o	o	o	o	o
Alloy rims 16", original FIAT	16,00	640,00	o	o	o	o	o	o	o	o	o	o
BASE VEHICLE												
Diesel fuel tank, 90 litres	13,00	95,00	o	o	o	o	o	o	o	o	o	o
Automatic transmission, 9-speed [12]	40,00	3.265,00	o	o	o	o	o	o	o	o	o	o
Air conditioning, automatic	0,00	398,00	o	o	o	o	o	o	o	o	o	o
Fog lights	2,00	195,00	o	o	o	o	o	o	o	o	o	o
Trailer hitch SAWIKO, detachable	29,00	1.582,00	o	o	o	o	o	o	o	o	o	o
Trailer hitch SAWIKO, fixed	29,00	1.282,00	o	o	o	o	o	o	o	o	o	o
DESIGN VARIANTS												
Front end paint finish slate grey, radiator grille and headlight mouldings silver, decor slate grey	0,00	650,00	o	o	o	o	o	o	o	o	o	o
Front end paint finish black, radiator grille and headlight mouldings silver, decor black	0,00	450,00	o	o	o	o	o	o	o	o	o	o
CAB												
Thermal curtains including footwell insulation	4,50	314,00	o	o	o	o	o	o	o	o	o	o
WINDOW												
Framed windows, can be opened, double-glazed and tinted, for standard windows	8,00	732,00	o	o	o	o	o	o	o	o	o	o
BODY												
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blackout blind and insect screen in sleeping area	4,50	385,00	o	o	o	o	o	o	o	o	o	o
Bicycle rack THULE for 2 bicycles, loading capacity 60 kg	8,00	352,00	o	o	o	o	o	o	-	-	-	-
Bicycle rack THULE for 3 bicycles, loading capacity 60 kg	11,00	386,00	o	o	o	o	o	o	-	-	-	-
Bicycle rack THULE for 4 bicycles, loading capacity 60 kg	14,00	439,00	o	o	o	o	o	o	-	-	-	-
Bicycle rack ALULINE for 2 bicycles, loading capacity 50 kg	8,00	690,00	-	-	-	-	-	-	o	o	o	o
Bicycle rack ALULINE for 3 bicycles, loading capacity 50 kg	9,00	723,00	-	-	-	-	-	-	o	o	o	o
Bicycle rack SAWIKO Mikro for 4 bicycles, loading capacity 120 kg	30,00	1.347,00	o	o	o	o	o	o	o	o	o	o
Rear steadies	6,00	348,00	o	o	o	o	o	o	o	o	o	o

● Standard package o Optional extras – Not technically supported

The explanation of the footnotes can be found on page 12.

	WEIGHT (KG)	PRICE EX WORKS (€) (INC 19% VAT)	OPTIMA DE LUXE						OPTIMA PREMIUM			
			T65 FL	T65 GE	T70 F	T70 GE	T65 HFL	T75 HF	T65 GE	T70 E	T70 GE	T75 HGE
LIVING AREA												
L-shaped seating area with single-post lift table, can be rotated through 360°, design dependent on model	15,00	579,00	o	o	o	o	o	o	o	o	o	o
Carpet in the living area, removable	10,00	275,00	o	o	o	o	o	o	o	o	o	o
UPHOLSTERY COMBINATIONS												
Vigo	0,00	219,00	o	o	o	o	o	o	o	o	o	o
KITCHEN												
Oven with electric ignition and light	16,00	590,00	o	o	o	o	o	o	o	o	o	o
Extractor hood DOMETIC	3,00	286,00	o	o	o	o	o	o	o	o	o	o
SLEEPING AREA												
Bed extension including cold foam mattress and ladder	4,80	206,00	-	o	-	o	-	-	o	-	o	o
Cushion for bed conversion in the seating area	2,00	236,00	o	o	o	o	-	-	o	o	o	-
WATER / GAS / ELECTRICITY												
Outside shower, cold water	0,50	192,00	o	o	o	o	o	o	o	o	o	o
External socket 12 V / 230 V, including satellite / TV connection	0,40	133,00	o	o	o	o	o	o	o	o	o	o
External gas socket	1,50	226,00	o	o	o	o	o	o	o	o	o	o
Gas pressure regulator TRUMA MonoControl including crash sensor	1,00	183,00	o	o	o	o	o	o	o	o	o	o
Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and EisEx de-icing system	2,00	279,00	o	o	o	o	o	o	o	o	o	o
Gas filter TRUMA for MonoControl or DuoControl	0,40	156,00	o	o	o	o	o	o	o	o	o	o
Remote display for gas pressure regulator TRUMA DuoControl	0,60	207,00	o	o	o	o	o	o	o	o	o	o
Wireless alarm system with gas warning system for narcotic gases, propane and butane	1,00	395,00	o	o	o	o	o	o	o	o	o	o
HOBBY-CONNECT, remote control for on-board technology using app [13]	0,60	741,00	o	o	o	o	o	o	o	o	o	o
Smoke alarm [14]	0,20	28,00	o	o	o	o	o	o	o	o	o	o
Dual USB charging socket, 1 per living and sleeping area	0,10	104,00	o	o	o	o	o	o	o	o	o	o
Pre wiring for solar power system	1,00	98,00	o	o	o	o	o	o	o	o	o	o
Additional AGM habitation battery, 12 V / 95 Ah	28,00	350,00	o	o	o	o	o	o	o	o	o	o
Additional power socket 12 V (installation location can be selected)	0,50	80,00	o	o	o	o	o	o	o	o	o	o
Additional power socket 230 V (installation location can be selected)	0,50	80,00	o	o	o	o	o	o	o	o	o	o
HEATING / AIR CONDITIONING												
Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting, 2.2 KW [8]	32,00	1.976,00	o	o	o	o	o	o	o	o	o	o
Pre wiring for roof-mounted air conditioning unit	1,50	69,00	o	o	o	o	o	o	o	o	o	o
Heating system TRUMA Combi 6 E, instead of Combi 6	1,10	624,00	o	o	o	o	o	o	o	o	o	o
Hot water heater ALDE COMPACT 3020 HE including CI-BUS	41,50	2.213,00	-	o	o	o	-	o	o	-	o	o
MULTIMEDIA												
LED flat screen 22" including tuner / receiver and DVD player	3,40	418,00	o	o	o	o	o	o	o	o	o	o
Satellite system KATHREIN CAP 650 including TWIN LNB	15,00	2.035,00	o	o	o	o	o	o	o	o	o	o
COUNTRY SPECIFICATIONS												
Registration documents [15]	0,00	189,00	o	o	o	o	o	o	o	o	o	o

* Due to missing technical data for the new Euro 6d-Temp engine, the final figures were not finalised at the time of going to press.

MADE IN GERMANY

GENERAL INSTRUCTIONS

Pricelist Motorhomes Season 2020,
Valid from June 2019

This price list supersedes all previous price lists that have been published. The prices are recommended retail prices ex works from Fockbek including statutory VAT (Vehicle prices are O.T.R.). New prices will apply if the chassis manufacturers change their prices. If accessories and optional extras are fitted and installed, the payload will be reduced and the unladen weight, mass in running order and height of the vehicle will be increased. All mass and weight specifications comply with Commission Regulation (EU) 1230/2012, unless the brochure including technical data and price list specify otherwise. The weight of additional equipment is specified in our brochures or you can request this information from your dealer/salesperson. Weight measurements may vary by up to five percent due to the use of natural materials. All content is correct at the time of going to press. Design and equipment subject to change without notice; errors excepted.

Some of the models featured in the brochure have optional extras or decorations that are not part of the standard scope of delivery. Deviations from the pictured furnishings in terms of structure and colour are excepted provided they relate to the nature of the materials used and are consistent with standard commercial practice. The same applies to technical modifications to the vehicle provided the overall product quality remains the same or is improved and the intended purpose is not impaired.

The prices quoted are only valid within the scope of new series production. In some cases, it may not be possible to retrofit certain optional extras, or this may be associated with significant additional costs.

FOOTNOTES

1 Includes alternator 220 A.

2 The maximum technically permissible laden mass must not be exceeded under any circumstances.

3 The mass in running order may deviate by +/- 5% from the nominal value stated in Directive 2007/46/EC, Annex I, Paragraph 2.6, Letter b, or in Annex III, Part I, Section A or B, or in the CoC, or in ZB II. It consists of the empty vehicle weight including lubricant, on-board tools, repair kit, fuel (90%), extra battery, all ex-factory standard equipment and 75 kg driver allowance. It has been determined in accordance with Commission Regulation (EU) No 1230/2012, allowing for the drive-ready fresh water tank filling volume (cf. Fn. 5), a full hot water heater and a full 11 kg aluminium gas bottle.

4 The payload corresponds to the difference between the maximum technically permissible laden mass and the mass in running order. This value must take into account the weights of passengers, optional accessories and personal items. The payload capacity is reduced when optional extras and accessories are installed. Furthermore, the payload capacity is not only dependent on the mass in running order, the actual vehicle mass, the weight of the accessories and the maximum technically permissible laden mass, but also on the respective axle loads. A prerequisite for reaching the maximum vehicle payload capacity is the appropriate distribution of the load in relation to the axle load.

5 The trailer hitch is one of the optional extras. Please comply with the maximum permissible gross train weights.

6 The maximum number of permitted people specified in each case is dependent on the weight and axle load. It may be reduced when optional extras and accessories are installed, meaning that individual seats cannot be used in favour of the payload capacity. If all the seats are to be used, this must be at the partial expense of the payload. The maximum technically permissible laden mass and the axle loads must not be exceeded.

7 Capacity of the fresh water tank according to Annex V, Part A, Para. 2.6 Fn. (h) of Commission Regulation (EU) No 1230/2012 allowing for the driving restriction (valve on the fresh water tank): 10 litres (drive-ready filling volume). If the valve on the fresh water tank is set accordingly, the max. capacity is 100 litres.

8 The Heki rooflight is removed if the roof-mounted air conditioning unit is installed.

9 The installation location of the TV bracket/pull-out mount can accommodate a television with a diagonal screen size of up to 22" (max. overall dimensions: 535 x 351 x 50 mm).

10 The increase in load capacity reduces the towing capacity (braked).

11 The decrease to 3,500 kg load capacity is only possible in conjunction with 3-person approval.

12 Only in conjunction with 16" alloy rims.

13 Subject to subscription costs, please refer to the product description for more information about Hobby Connect. Availability varies according to country.

14 Battery-powered.

15 Includes: homologation / EU type-approval. COC / APPROVAL CERTIFICATE PART 11 AND GAS CERTIFICATE.

GERMANY

Hobby-Wohnwagenwerk
Ing. Harald Striewski GmbH
Harald-Striewski-Straße 15
24787 Fockbek/Rendsburg
www.hobby-caravaning.com

YOUR AUTHORISED DEALER

INT

Hobby
BUILT FOR LIFE