

PRELIMINARY  
EQUIPMENT LIST



## TECHNICAL DATA AND OPTIONAL EXTRAS

CARAVANS 2020

**Hobby**  
BUILT FOR LIFE

MODEL OVERVIEW

ONTOUR

DE LUXE

DE LUXE EDITION

EXCELLENT

<div>390 SF</div> <div></div> <div>Ontour L: 5.780 mm · B: 2.200 mm · G: 1.200 kg</div>	<div>460 DL</div> <div></div> <div>Ontour L: 6.605 mm · B: 2.200 mm · G: 1.300 kg</div>	<div>470 KMF</div> <div></div> <div>Ontour L: 6.709 mm · B: 2.200 mm · G: 1.350 kg</div>	<div>470 UL</div> <div></div> <div>Ontour L: 6.709 mm · B: 2.200 mm · G: 1.350 kg</div>
<div>400 SFe</div> <div></div> <div>De Luxe L: 5.964 mm · B: 2.300 mm · G: 1.300 kg</div>	<div>440 SF</div> <div></div> <div>De Luxe L: 6.140 mm · B: 2.300 mm · G: 1.300 kg</div>	<div>455 UF</div> <div></div> <div>De Luxe L: 6.479 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>460 UFe</div> <div></div> <div>De Luxe L: 6.629 mm · B: 2.300 mm · G: 1.350 kg</div>
<div>460 LU</div> <div></div> <div>De Luxe L: 6.751 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>460 SFf</div> <div></div> <div>De Luxe L: 6.751 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>490 KMF</div> <div></div> <div>De Luxe L: 6.888 mm · B: 2.300 mm · G: 1.400 kg</div>	<div>495 UL</div> <div></div> <div>De Luxe L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>
<div>495 WFB</div> <div></div> <div>De Luxe L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>515 UHK</div> <div></div> <div>De Luxe L: 7.533 mm · B: 2.300 mm · G: 1.600 kg</div>	<div>515 UHL</div> <div></div> <div>De Luxe L: 7.533 mm · B: 2.300 mm · G: 1.600 kg</div>	<div>540 UL</div> <div></div> <div>De Luxe L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>
<div>540 FU</div> <div></div> <div>De Luxe L: 7.274 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>540 UFF</div> <div></div> <div>De Luxe L: 7.274 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>540 KMFe</div> <div></div> <div>De Luxe L: 7.445 mm · B: 2.300 mm · G: 1.600 kg</div>	<div>545 KMF</div> <div></div> <div>De Luxe L: 7.425 mm · B: 2.500 mm · G: 1.600 kg</div>
<div>560 KMFe</div> <div></div> <div>De Luxe L: 7.513 mm · B: 2.500 mm · G: 1.700 kg</div>	<div>650 KFU</div> <div></div> <div>De Luxe L: 8.375 mm · B: 2.500 mm · G: 1.900 kg</div>		
<div>460 UFe</div> <div></div> <div>De Luxe Edition L: 6.629 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>490 KMF</div> <div></div> <div>De Luxe Edition L: 6.888 mm · B: 2.300 mm · G: 1.400 kg</div>	<div>495 UL</div> <div></div> <div>De Luxe Edition L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>545 KMF</div> <div></div> <div>De Luxe Edition L: 7.425 mm · B: 2.500 mm · G: 1.600 kg</div>
<div>560 KMFe</div> <div></div> <div>De Luxe Edition L: 7.513 mm · B: 2.500 mm · G: 1.700 kg</div>	<div>650 KMFe</div> <div></div> <div>De Luxe Edition L: 8.325 mm · B: 2.500 mm · G: 1.900 kg</div>		
<div>460 UFe</div> <div></div> <div>Excellent L: 6.629 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>460 SFf</div> <div></div> <div>Excellent L: 6.751 mm · B: 2.300 mm · G: 1.350 kg</div>	<div>495 UFe</div> <div></div> <div>Excellent L: 6.770 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>495 UL</div> <div></div> <div>Excellent L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>

EXCELLENT

PRESTIGE

PREMIUM

<div>495 WFB</div> <div></div> <div>Excellent L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>540 FU</div> <div></div> <div>Excellent L: 7.274 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>540 WLU</div> <div></div> <div>Excellent L: 7.274 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>540 UL</div> <div></div> <div>Excellent L: 7.293 mm · B: 2.300 mm · G: 1.500 kg</div>
<div>540 UFF</div> <div></div> <div>Excellent L: 7.345 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>560 CFfe</div> <div></div> <div>Excellent L: 7.513 mm · B: 2.500 mm · G: 1.600 kg</div>	<div>560 LU</div> <div></div> <div>Excellent L: 7.513 mm · B: 2.500 mm · G: 1.600 kg</div>	<div>560 WFU</div> <div></div> <div>Excellent L: 7.561 mm · B: 2.500 mm · G: 1.600 kg</div>
<div>650 UMFe</div> <div></div> <div>Excellent L: 8.325 mm · B: 2.500 mm · G: 1.900 kg</div>			
<div>495 UL</div> <div></div> <div>Prestige L: 7.127 mm · B: 2.300 mm · G: 1.500 kg</div>	<div>560 FC</div> <div></div> <div>Prestige L: 7.513 mm · B: 2.500 mm · G: 1.600 kg</div>	<div>560 LU</div> <div></div> <div>Prestige L: 7.513 mm · B: 2.500 mm · G: 1.600 kg</div>	<div>560 WLU</div> <div></div> <div>Prestige L: 7.513 mm · B: 2.500 mm · G: 1.600 kg</div>
<div>560 WFU</div> <div></div> <div>Prestige L: 7.561 mm · B: 2.500 mm · G: 1.600 kg</div>	<div>620 CL</div> <div></div> <div>Prestige L: 8.025 mm · B: 2.500 mm · G: 1.900 kg</div>	<div>660 WFC</div> <div></div> <div>Prestige L: 8.325 mm · B: 2.500 mm · G: 1.900 kg</div>	<div>720 UKFe</div> <div></div> <div>Prestige L: 9.030 mm · B: 2.500 mm · G: 2.200 kg</div>
<div>720 KWFU</div> <div></div> <div>Prestige L: 9.042 mm · B: 2.500 mm · G: 2.200 kg</div>	<div>720 WLC</div> <div></div> <div>Prestige L: 9.042 mm · B: 2.500 mm · G: 2.200 kg</div>	<div>720 WQC</div> <div></div> <div>Prestige L: 9.042 mm · B: 2.500 mm · G: 2.200 kg</div>	
<div>495 UL</div> <div></div> <div>Premium L: 7.630 mm · B: 2.300 mm · G: 1.700 kg</div>	<div>560 CFfe</div> <div></div> <div>Premium L: 8.016 mm · B: 2.500 mm · G: 1.800 kg</div>	<div>560 UL</div> <div></div> <div>Premium L: 8.016 mm · B: 2.500 mm · G: 1.800 kg</div>	<div>650 UFF</div> <div></div> <div>Premium L: 8.828 mm · B: 2.500 mm · G: 2.000 kg</div>
<div>650 UKFe</div> <div></div> <div>Premium L: 8.879 mm · B: 2.500 mm · G: 2.000 kg</div>	<div>660 WFU</div> <div></div> <div>Premium L: 8.865 mm · B: 2.500 mm · G: 2.000 kg</div>		

KEY TO SYMBOLS				DESIGN				TECHNICAL DATA	
	Sleeping area		Number of berths	F	French bed	L	Single beds	L	Overall length
	Seating area		Number of childrens beds	Fe	French bed, external washroom	B	Front seating area	B	Overall width
	Kitchen		Drop down bed	Ff/Q	Island Bed	C	C-Shaped seating area	G	Maximum technically permissible laden mass
	Bathroom		Twin Axle	H	Drop-down bed	D	Dinette		
	Storage space		Refrigerator (L)	K	Children's beds	M	Central seating area		
						S	Side seating area		
						U	Round shaped seating area		
						W	Rear washroom		

TECHNICAL DATA

MODEL Type	CHASSIS		DIMENSIONS AND WEIGHT							DIMENSIONS AND WEIGHT						NUMBER OF BERTHS				MODEL Type			
	Number of axles	Tyre size	Overall length	Body length	Overall width / internal width	Overall height / Interior headroom <sup>1</sup>	Maximum techni- cally permissible laden mass (MTPLM) <sup>2</sup>	Mass in running order (MIRO) <sup>3</sup>		Payload <sup>4</sup>	Technically possible load uprated to	Payload after maximum load uprating	Technically possible load downrated to	Body wall thickness (floor / roof / wall)	Awning Size- A measure- ment <sup>5</sup>	Number of berths (adult / child)	Bed size, single beds (length x width)	Bed size, double bed (length x width)					
																			mm		mm	mm	mm
ONTOUR																				ONTOUR			
390 SF	1	195 / 70 R 14 XL	5.780	4.590	2.200 / 2.072	2.633 / 1.950	1.200	1.004		196	1.500	483	1.150	37 / 31 / 31	8.360	4	-	1.980 x 1.290	390 SF				
460 DL	1	195 / 70 R 14 XL	6.605	5.415	2.200 / 2.072	2.633 / 1.950	1.300	1.168		132	1.500	319	-	37 / 31 / 31	9.180	3	1.970 x 770; 1.870 x 770	-	460 DL				
470 KMF	1	195 / 70 R 14 XL	6.709	5.519	2.200 / 2.072	2.633 / 1.950	1.350	1.138		212	1.500	349	1.300	37 / 31 / 31	9.290	3 / 2	-	1.980 x 1.290	470 KMF				
470 UL	1	195 / 70 R 14 XL	6.709	5.519	2.200 / 2.072	2.633 / 1.950	1.350	1.177		173	1.500	302	1.300	37 / 31 / 31	9.290	3	1.970 x 770; 1.870 x 770	-	470 UL				
DE LUXE																				DE LUXE			
400 SFe	1	195 / 70 R 14 XL	5.964	4.787	2.300 / 2.172	2.633 / 1.950	1.300	1.080		220	1.500	407	1.200	37 / 31 / 31	8.550	3	-	1.960 x 1.385 / 1.095	400 SFe				
440 SF	1	195 / 70 R 14 XL	6.140	4.963	2.300 / 2.172	2.633 / 1.950	1.300	1.087		213	1.500	400	1.200	37 / 31 / 31	8.730	4	-	2.080 x 1.290	440 SF				
455 UF	1	195 / 70 R 14 XL	6.479	5.302	2.300 / 2.172	2.633 / 1.950	1.350	1.169		181	1.500	318	1.300	37 / 31 / 31	9.070	4	-	2.080 x 1.290	455 UF				
460 UFe	1	195 / 70 R 14 XL	6.629	5.452	2.300 / 2.172	2.633 / 1.950	1.350	1.200		150	1.500	287	-	37 / 31 / 31	9.220	4	-	1.960 x 1.385 / 1.095	460 UFe				
460 LU	1	195 / 70 R 14 XL	6.751	5.574	2.300 / 2.172	2.633 / 1.950	1.350	1.184		166	1.500	303	1.300	37 / 31 / 31	9.340	4	2.050 x 770; 1.900 x 770	-	460 LU				
460 Sff	1	195 / 70 R 14 XL	6.751	5.574	2.300 / 2.172	2.639 / 1.950	1.350	1.181		169	1.500	306	1.300	37 / 31 / 31	9.340	2 / 1	-	-	460 Sff				
490 KMF	1	185 R 14 C	6.888	5.696	2.300 / 2.172	2.639 / 1.950	1.400	1.255		145	1.750	470	-	37 / 31 / 31	9.470	3 / 2	-	2.080 x 1.290	490 KMF				
495 UL	1	185 R 14 C	7.127	5.935	2.300 / 2.172	2.639 / 1.950	1.500	1.280		220	1.750	445	1.450	37 / 31 / 31	9.710	4	2 x 1.940 x 830	-	495 UL				
495 WFB	1	185 R 14 C	7.127	5.935	2.300 / 2.172	2.639 / 1.950	1.500	1.282		218	1.750	443	1.400	37 / 31 / 31	9.710	4	-	1.985 x 1.335 / 1.100	495 WFB				
515 UHK	1	185 R 14 C	7.533	6.341	2.300 / 2.172	2.641 / 1.950	1.600	1.457		143	2.000	507	-	39 / 31 / 31	10.120	4 / 3	-	-	515 UHK				
515 UHL	1	185 R 14 C	7.533	6.341	2.300 / 2.172	2.641 / 1.950	1.600	1.452		148	2.000	512	-	39 / 31 / 31	10.120	6	2 x 1.940 x 830	-	515 UHL				
540 UL	1	185 R 14 C	7.293	6.101	2.300 / 2.172	2.641 / 1.950	1.500	1.350		150	1.750	375	-	39 / 31 / 31	9.880	4	2 x 1.940 x 830	-	540 UL				
540 FU	1	185 R 14 C	7.274	6.082	2.300 / 2.172	2.641 / 1.950	1.500	1.369		131	1.750	356	-	39 / 31 / 31	9.860	4	-	1.960 x 1.340 / 1.050	540 FU				
540 Uff	1	185 R 14 C	7.345	6.153	2.300 / 2.172	2.641 / 1.950	1.500	1.331		169	1.750	394	-	39 / 31 / 31	9.930	4	-	-	540 Uff				
540 KMFe	1	185 R 14 C	7.445	6.253	2.300 / 2.172	2.641 / 1.950	1.600	1.387		213	1.750	338	1.500	39 / 31 / 31	10.030	3 / 2	-	1.960 x 1.375 / 1.085	540 KMFe				
545 KMF	1	185 R 14 C	7.425	6.256	2.500 / 2.367	2.641 / 1.950	1.600	1.414		186	2.000	553	-	39 / 31 / 31	10.030	3 / 2	-	2.000 x 1.390 / 1.100	545 KMF				
560 KMFe	1	195 / 70 R 15 C	7.513	6.344	2.500 / 2.367	2.645 / 1.950	1.700	1.504		196	2.000	485	-	39 / 31 / 31	10.130	4 / 2	-	1.960 x 1.570 / 1.280	560 KMFe				
650 KFU	2	155 / 80 R 13 XL	8.375	7.206	2.500 / 2.367	2.642 / 1.950	1.900	1.666		235	2.200	527	-	39 / 31 / 31	10.990	4 / 2	-	1.985 x 1.390 / 1.150	650 KFU				
DE LUXE EDITION																				DE LUXE EDITION			
460 UFe	1	195 / 70 R 14 XL	6.629	5.452	2.300 / 2.172	2.633 / 1.950	1.350	1.197		153	1.500	290	-	37 / 31 / 31	9.220	4	-	1.960 x 1.375 / 1.085	460 UFe				
490 KMF	1	185 R 14 C	6.888	5.696	2.300 / 2.172	2.639 / 1.950	1.400	1.258		142	1.750	467	-	37 / 31 / 31	9.470	3 / 2	-	2.080 x 1.290	490 KMF				
495 UL	1	185 R 14 C	7.127	5.935	2.300 / 2.172	2.639 / 1.950	1.500	1.285		215	1.750	440	1.450	37 / 31 / 31	9.710	4	2 x 1.940 x 830	-	495 UL				
545 KMF	1	185 R 14 C	7.425	6.256	2.500 / 2.367	2.641 / 1.950	1.600	1.417		183	2.000	550	-	39 / 31 / 31	10.030	3 / 2	-	2.010 x 1.390 / 1.100	545 KMF				
560 KMFe	1	195 / 70 R 15 C	7.513	6.344	2.500 / 2.367	2.645 / 1.950	1.700	1.509		191	2.000	480	-	39 / 31 / 31	10.130	4 / 2	-	1.960 x 1.570 / 1.280	560 KMFe				
650 KMFe	2	155 / 80 R 13 XL	8.325	7.156	2.500 / 2.367	2.642 / 1.950	1.900	1.670		230	2.200	522	-	39 / 31 / 31	10.870	4 / 2	-	1.960 x 1.570 / 1.280	650 KMFe				
EXCELLENT																				EXCELLENT			
460 UFe	1	195 / 70 R 14 XL	6.629	5.452	2.300 / 2.172	2.633 / 1.950	1.350	1.202		148	1.500	285	-	37 / 31 / 31	9.220	4	-	1.960 x 1.375 / 1.085	460 UFe				
460 Sff	1	195 / 70 R 14 XL	6.751	5.574	2.300 / 2.172	2.633 / 1.950	1.350	1.187		163	1.500	300	1.300	37 / 31 / 31	9.340	2 / 1	-	-	460 Sff				
495 UFe	1	185 R 14 C	6.770	5.578	2.300 / 2.172	2.639 / 1.950	1.500	1.242		258	1.750	483	1.350	37 / 31 / 31	9.350	4	-	1.960 x 1.375 / 1.085	495 UFe				
495 UL	1	185 R 14 C	7.127	5.935	2.300 / 2.172	2.639 / 1.950	1.500	1.295		205	1.750	430	1.450	37 / 31 / 31	9.710	4	2 x 1.940 x 830	-	495 UL				
495 WFB	1	185 R 14 C	7.127	5.935	2.300 / 2.172	2.639 / 1.950	1.500	1.292		208	1.750	433	1.400	37 / 31 / 31	9.710	4	-	1.985 x 1.335 / 1.104	495 WFB				
540 FU	1	185 R 14 C	7.274	6.082	2.300 / 2.172	2.641 / 1.950	1.500	1.375		125	1.750	350	-	39 / 31 / 31	9.860	4	-	1.958 x 1.343 / 1.050	540 FU				
540 WLU	1	185 R 14 C	7.274	6.082	2.300 / 2.172	2.641 / 1.950	1.500	1.314		186	2.000	650	-	39 / 31 / 31	9.860	4	1.830 x 800; 1.960 x 800	-	540 WLU				
540 UL	1	185 R 14 C	7.293	6.101	2.300 / 2.172	2.641 / 1.950	1.500	1.357		143	1.750	368	-	39 / 31 / 31	9.880	4	2 x 1.940 x 830	-	540 UL				
540 Uff	1	185 R 14 C	7.345	6.153	2.300 / 2.172	2.641 / 1.950	1.500	1.339		161	1.750	386	-	39 / 31 / 31	9.930	4	-	-	540 Uff				
560 CFfe	1	185 R 14 C	7.513	6.344	2.500 / 2.367	2.641 / 1.950	1.600	1.460		140	2.000	507	-	39 / 31 / 31	10.120	4	-	1.960 x 1.570 / 1.280					

TECHNICAL DATA

MODEL Type	NUMBER OF BERTHS				INSTALLATION LOCATIONS				INSTALLATION LOCATIONS					ON-BOARD TECHNOLOGY	MODEL Type		
	Bed size, island bed (length x width)	Bed size, children's beds (length x width)	Bed size, drop-down bed (length x width)	Bed size, after converting dinette seating (length x width)	Autonomy package	Roof-mounted air conditioning unit	TV bracket <sup>6</sup>		Fresh water tank, city water connection, optional	External Gas Connection	Exterior awning socket	Locker door THETFORD with central locking, 752 x 310 mm, lockable	Locker door THETFORD with central locking, 752 x 310 mm, lockable (optional)	Number of 230 V power sockets (single / double)			
	mm	mm	mm	mm													
ONTOUR																	ONTOUR
390 SF	-	-	-	1.915 x 1.350 / 1.225	Front left	Rear	Seating area / washroom		Front left	Front right	Centre right	Front right	-	3 / 2	390 SF		
460 DL	-	-	-	1.938 x 1.098 / 1.030	Front left	Rear	Sideboard		Front left	Front right	Front right	Front right	-	3 / 2	460 DL		
470 KMF	-	2.010 x 750; 2.010 x 700	-	1.885 x 915	Front left	Rear	Bed / wardrobe		Front left	Front right	Centre right	Front right	-	3 / 2	470 KMF		
470 UL	-	-	-	1.938 x 1.188 / 1.122	Front left	Rear	Sideboard		Front left	Front right	Front right	Front right	-	3 / 2	470 UL		
DE LUXE																	DE LUXE
400 SFe	-	-	-	2.056 x 1.012	Front centre	Centre	Seating area / bed		Front left	Centre right	Centre right	Front left	-	2 / 2	400 SFe		
440 SF	-	-	-	1.960 x 1.300	Rear left	Rear	Seating area / washroom		Front left	Front right	Rear right	Front right	-	4 / 1	440 SF		
455 UF	-	-	-	2.038 x 1.615 / 1.266	Front left	Centre	Seating area / wardrobe		Rear left	Rear right	Front right	Front right	Front left	4 / 1	455 UF		
460 UFe	-	-	-	2.036 x 1.369 / 1.304	Front centre	Rear	Bed / wardrobe		Rear right	Centre right	Rear right	Front right	Rear left	4 / 1	460 UFe		
460 LU	-	-	-	2.038 x 1.554 / 1.122	Rear left	Centre	Sideboard		Front left	Front right	Rear right	Rear right	Rear left	3 / 2	460 LU		
460 SFf	1.900 x 1.460	-	-	1.750 x 1.005	Front centre	Centre	Seating area		Rear left	Centre right	Centre right	-	-	4 / 1	460 SFf		
490 KMF	-	2.000 x 730; 2.000 x 700	-	1.851 x 970	Front left	Centre	Bed / wardrobe		Front left	Front right	Centre right	Front right	-	4 / 1	490 KMF		
495 UL	-	-	-	2.038 x 1.589 / 1.061	Front left	Centre	Seating area / wardrobe		Rear left	Front right	Rear right	Front right	Front left	4 / 1	495 UL		
495 WFB	-	-	-	2.038 x 1.434 / 1.358	Centre right	Centre	Bed / Refrigerator		Front right	Front right	Front right	Rear right	-	4 / 2	495 WFB		
515 UHK	-	2 x 1.800 x 700	2.000 x 1.300	2.038 x 1.593; 1.940 x 1.275 / 955	Front centre	Centre	Sideboard		Rear right	Rear right	Rear right	Rear left	-	4 / 1	515 UHK		
515 UHL	-	-	2.000 x 1.300	2.038 x 1.593	Front left	Centre	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left / Front left	4 / 1	515 UHL		
540 UL	-	-	-	2.038 x 1.473 / 1.425	Front left	Centre	Sideboard		Rear right	Front right	Rear right	Front right	Front left	4 / 1	540 UL		
540 FU	-	-	-	2.038 x 1.339 / 1.312	Front left	Centre	Sideboard		Front right	Front right	Front right	Rear right	-	4 / 2	540 FU		
540 Uff	1.900 x 1.460	-	-	2.038 x 1.505 / 1.505	Front centre	Rear	Seating area / wardrobe		Rear right	Rear right	Rear right	Rear left	-	4 / 1	540 Uff		
540 KMFe	-	1.850 x 730; 1.850 x 700	-	1.875 x 1.105 / 1.005	Centre left	Centre	Seating area / wardrobe		Front right	Centre right	Centre right	Front right	-	5 / 1	540 KMFe		
545 KMF	-	2 x 1.850 x 700	-	1.937 x 1.139	Centre left	Centre	Bed right		Front left	Centre right	Centre right	Front left	-	4 / 2	545 KMF		
560 KMFe	-	2 x 1.860 x 710	-	2.118 x 1.235 / 1.125	Front centre	Centre	Seating area / linen cupboard		Front left	Rear right	Centre right	Front left	-	5 / 1	560 KMFe		
650 KFU	-	1.880 x 730 / 1.840 x 700	-	2.233 x 1.504 / 1.298	Front left	Centre	Sideboard		Front right	Rear right	Rear right	Rear right	-	4 / 2	650 KFU		
DE LUXE EDITION																	DE LUXE EDITION
460 UFe	-	-	-	2.038 x 1.369 / 1.304	Front centre	Rear	Bed / wardrobe		Rear right	Centre right	Rear right	Front right	Rear left	4 / 2	460 UFe		
490 KMF	-	2.000 x 730; 2.000 x 700	-	1.851 x 970	Front centre	Centre	Bed / wardrobe		Front left	Front right	Centre right	Front right	-	4 / 1	490 KMF		
495 UL	-	-	-	1.952 x 1.589 / 1.061	Front left	Centre	Seating area / wardrobe		Rear left	Front right	Rear right	Front right	Front left	4 / 1	495 UL		
545 KMF	-	2 x 1.860 x 710	-	1.937 x 1.139	Centre left	Centre	Bed right		Front left	Centre right	Centre right	Front left	-	4 / 2	545 KMF		
560 KMFe	-	2 x 1.860 x 710	-	2.118 x 1.235 / 1.125	Front centre	Centre	Seating area / linen cupboard		Front left	Rear right	Centre right	Front left	-	5 / 1	560 KMFe		
650 KMFe	-	2 x 1.930 x 710	-	2.118 x 1.200 / 1.090	Front centre	Front	Seating area left		Rear right	Rear right	Centre right	Front left	-	4 / 2	650 KMFe		
EXCELLENT																	EXCELLENT
460 UFe	-	-	-	2.038 x 1.369 / 1.289	Front centre	Rear	Bed / wardrobe		Rear right	Centre right	Rear right	Front right	Rear left	5 / 2	460 UFe		
460 SFf	1.900 x 1.460	-	-	1.762 x 770	Front centre	Centre	Sideboard		Rear left	Centre right	Centre right	-	-	4 / 1	460 SFf		
495 UFe	-	-	-	2.038 x 1.421 / 1.300	Front centre	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left	4 / 2	495 UFe		
495 UL	-	-	-	2.038 x 1.589 / 1.061	Front left	Centre	Seating area / wardrobe		Rear left	Front right	Rear right	Front right	Front left	4 / 2	495 UL		
495 WFB	-	-	-	2.045 x 1.424 / 1.367	Centre right	Rear	Bed / wardrobe		Front right	Front right	Front right	Front right	-	4 / 2	495 WFB		
540 FU	-	-	-	2.038 x 1.535 / 1.504	Front left	Centre	Sideboard		Front right	Front right	Front right	Rear right	-	4 / 2	540 FU		
540 WLU	-	-	-	2.038 x 1.257 / 1.245	Centre right	Rear	Bed / Refrigerator		Centre left	Front right	Centre right	Rear right	-	5 / 2	540 WLU		
540 UL	-	-	-	2.038 x 1.473 / 1.359	Front left	Centre	Sideboard		Rear right	Front right	Rear right	Front right	Front left	4 / 2	540 UL		
540 Uff	1.900 x 1.460	-	-	2.038 x 1.339 / 1.312	Front centre	Rear	Seating area / wardrobe		Rear right	Rear right	Rear right	Rear left	-	4 / 2	540 Uff		
560 CFe	-	-	-	2.233 x 2.037 / 1.637	Front centre	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left	4 / 2	560 CFe		
560 LU	-	-	-	2.233 x 1.566 / 1.320	Front left	Centre	Sideboard		Rear right	Front right	Front right	Rear left	-	4 / 2	560 LU		
560 WFU	-	-	-	2.233 x 1.591 / 1.320	Front left	Centre	Sideboard		Front right	Centre right	Front right	Rear right	-	4 / 3	560 WFU		
650 UMFe	-	-	-	2.191 x 1.618 / 1.453	Front right	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left	4 / 2	650 UMFe		
PRESTIGE																	PRESTIGE
495 UL	-	-	-	2.038 x 1.589 / 1.061	Front left	Centre	Seating area / wardrobe		Rear left	Front right	Rear right	Front right	Front left	4 / 2	495 UL		
560 FC	-	-	-	2.233 x 2.031 / 1.358	Rear centre	Centre	Coat hooks		Front right	Front right	Front right	Rear right	-	4 / 2	560 FC		
560 LU	-	-	-	2.233 x 1.566 / 1.320	Front left	Centre	Sideboard		Rear right	Front right	Front right	Rear left	-	4 / 2	560 LU		
560 WLU	-	-	-	2.233 x 1.415 / 1.320	Centre right	Centre	Sideboard		Centre left	Front right	Front right	Rear right	Rear left	5 / 2	560 WLU		
560 WFU	-	-	-	2.233 x 1.591 / 1.320	Front left	Centre	Sideboard		Front right	Centre right	Front right	Rear right	-	4 / 3	560 WFU		
620 CL	-	-	-	2.233 x 2.109 / 1.615	Front left	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left / Front left	4 / 1	620 CL		
660 WFC	-	-	-	2.233 x 2.030 / 1.625	Front left	Front	Sideboard		Front right	Front right	Front right	Rear right	-	5 / 1	660 WFC		
720 UKFe	-	2 x 1.890 x 700	-	2.190 x 1.526 / 1.370; 1.850 x 805	Front right	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	-	4 / 2	720 UKFe		
720 KWFU	-	2.000 x 730; 2.000 x 700	-	2.233 x 1.642 / 1.397	Front right	Front	Sideboard		Front right	Front right	Front right	Centre left	-	4 / 4	720 KWFU		
720 WLC	-	-	-	2.233 x 2.030 / 1.625	Rear left	Centre	Sideboard		Rear right	Rear right	Rear right	Rear left	Front left	5 / 2	720 WLC		
720 WQC	1.995 x 1.395	-	-	2.233 x 2.030 / 1.625	Front left	Centre	Sideboard		Rear left	Front right	Front right	Rear left	-	5 / 2	720 WQC		
PREMIUM																	PREMIUM
495 UL	-	-	-	2.037 x 1.566 / 1.174	Front right	Centre	Seating area / wardrobe		Rear left	Front right	Centre right	Front right	Front left	3 / 3	495 UL		
560 CFe	-	-	-	2.233 x 2.040 / 1.635	Front centre	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left	3 / 3	560 CFe		
560 UL	-	-	-	2.233 x 1.427 / 1.360	Front right	Centre	Sideboard		Rear right	Front right	Rear right	Front right	Rear left / Front left	3 / 3	560 UL		
650 Uff	2.000 x 1.560	-	-	2.233 x 1.481 / 1.452	Rear centre	Rear	Sideboard		Rear right	Rear right	Rear right	Rear left	-	5 / 2	650 Uff		
650 UKFe	-	2 x 1.800 x 700	-	2.233 x 1.632 / 1.301	Front centre	Rear	Sideboard		Rear right	Rear right	Rear right	Front right	Rear left	3 / 3	650 UKFe		
660 WFU	-	-	-	2.233 x 1.901 / 1.669	Front centre	Front	Sideboard		Front left	Front right	Rear right	Centre left	-	4 / 3	660 WFU		

- Not technically supported

The explanation of the footnotes can be found on page 16.



## HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

[illegible]

## HOBBYCOMPLETE ALL-INCLUSIVE PACKAGE

[illegible]

## OPTIONAL EXTRAS

[illegible]

- Standard package
- Optional extras
- Not technically supported

The explanation of the footnotes can be found on page 16.

[illegible]

## OPTIONAL EXTRAS

[illegible]

- Standard package
- Optional extras
- Not technically supported

The explanation of the footnotes can be found on page 16.

ONTOUR	390 SF
	460 DL
	470 KMF
	470 UL
DE LUXE	400 SFe
	440 SF
	455 UF
	460 UFe
	460 LU
	460 Sff
	490 KMF
	495 UL
	495 WFB
	515 UHK
515 UHL	
540 UL	
540 FU	
540 UFF	
540 KMFe	
545 KMF	
560 KMFe	
650 KFU	
DE LUXE EDITION	460 UFe
	490 KMF
	495 UL
	545 KMF
	560 KMFe
	650 KMFe
EXCELLENT	460 UFe
	460 Sff
	495 UFe
	495 UL
	495 WFB
	540 FU
	540 WLU
	540 UL
	540 Uff
	560 CFe
560 LU	
560 WFU	
650 UMFe	
PRESTIGE	495 UL
	560 FC
	560 LU
	560 WLU
	560 WFU
	620 CL
	660 WFC
	720 UKFe
720 KWFU	
720 WLC	
720 WQC	
PREMIUM	495 UL
	560 CFe
	560 UL
	650 Uff
	660 WFU



# MADE IN GERMANY

## GENERAL REFERENCES

Pricelist Caravans 2020 season,  
last updated June 2019

This price list supersedes all previous price lists that have been published. The prices are recommended retail prices ex works from Fockbek including statutory VAT. New prices will apply if the chassis manufacturers change their prices. If accessories and optional extras are fitted and installed, the payload will be reduced and the unladen weight, mass in running order and height of the vehicle will be increased. All mass and weight specifications comply with Commission Regulation (EU) 1230/2012, unless the brochure including technical data and price list specify otherwise. The weight of additional equipment is specified in our brochures or you can request this information from your dealer/salesperson. Weight measurements may vary by up to five percent due to the use of natural materials. All content is correct at the time of going to press. Design and equipment subject to change without notice; errors excepted.

Some of the models featured in the brochure have optional extras or decorations that are not part of the standard scope of delivery. Deviations from the pictured furnishings in terms of structure and colour are excepted provided they relate to the nature of the materials used and are consistent with standard commercial practice. The same applies to technical modifications to the vehicle provided the overall product quality remains the same or is improved and the intended purpose is not impaired.

The prices quoted are only valid within the scope of new series production. In some cases, it may not be possible to retrofit certain optional extras, or this may be associated with significant additional costs.

## GERMANY

**Hobby-Wohnwagenwerk**  
Ing. Harald Striewski GmbH  
Harald-Striewski-Straße 15  
24787 Fockbek/Rendsburg  
[www.hobby-caravaning.de](http://www.hobby-caravaning.de)  
[www.facebook.com/hobby.de](https://www.facebook.com/hobby.de)

## YOUR AUTHORISED DEALER

INT

## FOOTNOTES

- 1 The unladen vehicle can be up to 120 mm higher depending on the model and equipment package.
- 2 The maximum technically permissible laden mass must not be exceeded under any circumstances.
- 3 The mass in running order may deviate by +/- 5% from the nominal value stated in Directive 2007/46/EC, Annex I, Paragraph 2.6, Letter b, or in Annex III, Part I, Section A or B, or in the CoC, or in ZB II. It comprises the dead weight of the standard caravan plus the basic equipment package. The basic package comprises a full 11 kg aluminium bottle, a fresh water tank filled to 100% capacity, as well as the hot water heating unit and toilet flush tank where applicable. The basic package weights for the various models are as follows: Models 390 SF, 400-495: 62 kg; model 470 KMF: 47 kg; models: 460 SF, 495 WFB: 52 kg; models 515-720 UKFe: 84 kg; models WLU, 660 WFU, 545 KMF: 69 kg; models 540 FU, 560 FC, 560 WFU, 660 WFC, 660 WFU, 720 KWFU, 720 WLC, 720 WQC: 74 kg.
- 4 The payload corresponds to the difference between the maximum technically permissible laden mass and the mass in running order. It is reduced when optional extras and accessories are installed and must take into account the weight of personal equipment. Furthermore, the payload capacity is not only dependent on the mass in running order, the actual vehicle mass, the weight of the accessories and the maximum technically permissible laden mass, but also on the respective axle loads. A prerequisite for reaching the maximum vehicle payload capacity is the appropriate distribution of the load in relation to the axle load.
- 5 It is possible that choosing an awning based on the specification of this circumference value may not be adequate. The specified circumference value only applies to awnings that are completely retracted into the caravan's existing channel rail. The circumference value may vary due to optional extras, the tyre size and load. To arrive at an exact circumference value that is suitable for your awning model, we recommend that you measure the caravan individually.
- 6 The installation location of the TV bracket/pull-out mount can accommodate a television with a diagonal screen size of up to 22" (max. overall dimensions: 535 x 351 x 50 mm). This does not apply to the 620 CL and 545 KMF De Luxe/De Luxe Edition models. These models can accommodate a television with a diagonal screen size of up to 19".
- 7 Battery-powered
- 8 Garage door dimensions: 1,100 x 1,520 mm for models: 490 KMF, 540 KMFe and 560 KMFe; 1,070 x 1,100 mm for models: 515 UHK and 545 KMF
- 9 If specially requested, the standard metal lift table will be replaced by a single-post lift table for the U-shaped seating area.
- 10 Not in conjunction with cold foam mattress.
- 11 In conjunction with this optional extra, the locker door is not technically feasible.
- 12 This optional extra is only available in conjunction with the TFT control panel.
- 13 Subject to follow-up costs, please refer to the product description for more information about HobbyConnect. Availability varies according to country.
- 14 Includes: homologation / EU type-approval. COC / APPROVAL CERTIFICATE PART 11 AND GAS CERTIFICATE

**Hobby**  
BUILT FOR LIFE